

1/25

FIG. 1
PRIOR ART

1 c:\collections
2 notes.txt
3 myletter.doc
4 c-myhomepage
5
6 s
7 homepage.html
8 myphoto.jpg

FIG. 2

1 c:\collections
2 notes.txt
3 myletter.doc
4 c-myhomepage
5 cspec
6 s
7 homepage.html
8 myphoto.jpg

100

FIG. 3

1 collection c-myhomepage
2 coll-type cf-web-page
3 coll-desc A sample homepage collection
4 end-collection

102

FIG. 4




FIG. 5




FIG. 6





FIG. 7



4/25

FIG. 8

```
1  /* collection data structure */
2  collection-info {

3      + specifier_info
4          + coll-type-indicator
5          + other specifier information ...

6      + content_info
7          + content_location_info ...
8          + content_members ...
9          + other content information...

10     + other collection structure information...
11 }
```

FIG. 9

```
1  /* collection type definition data structure */
2  collection-type-definition-info {

3      + coll-type-name
4      + collection internal structure info ...
5      + collection content location info ...
6      + collection content type recognition info ...

7      + other collection type definition information...
8  }
```

5/25

FIG. 10

<u>KEY</u>	<u>VALUE</u>
1	/* collection type internal structure definitions */
2	dir_source_files .s
3	dir_doc_files .doc
4	/* content location definitions (per-type content links) */
5	content_subtree_http http://host.com/some/dir/name
6	content_subtree_ftp ftp://host.com/some/dir/name
7	content_subtree_nfs /some/local/directory/name
8	/* content type recognition definitions */
9	content_policy subtree_below_cspec_file
10	content_file_type .c file_cpp
11	content_file_type .c file_c
12	content_file_type .h file_c_include
13	content_file_type .doc file_ms_word
14	content_file_type .html file_html
15	content_file_type .xls file_ms_excel
16	/* collection processing definitions */
17	compile_c_files yes
18	compiler_windows vc++
19	compiler_unix gcc
20	build platforms Win98, Win2000, gnulinux
21	process files compile link
22	link libraries stdio math sock
23	/* results dispatching definitions */
24	results_ftp_host ftp.output.com
25	results_ftp_dir c:\ftphome\collection\results

6/25

FIG. 11





FIG. 12

- 1 /* simplified algorithm for classifier-enabled program*/
- 2 Call get runtime info to get collection to classify
- 3 Call collection content classifier to classify collection content
- 4 Call application processing functions to process the collection, using the content classification information produced in step 3.

7/25

FIG. 13



8/25

FIG. 14

- 1 /* simplified algorithm for classifier manager module */
- 2 Build data structures
- 3 Obtain runtime info including a collection to classify
- 4 Obtain lists of collection products and product contents
- 5 Assign a content type to each content member
- 6 Assign a symbolic action to each content member
- 7 Calculate dependencies for each content member
- 8 Organize and output information
- 9 Return classifier data structures to caller

FIG. 15

- 1 /* top-level classified-content data structure */
- 2 coll-class-content {
- 3 /* classification info for this collection instance */
- 4 + collection type indicator
- 5 ... other collection info
- 6 /* classification info for this collection's products */
- 7 + list of prod-class-content structures
- 8 + list of content-class-entry structures
- 9 /* type definition info to support classification ops */
- 10 + collection type definition information
- 11 + product type definition information
- 12 + file type identification information
- 13 + content type definition information
- 14 + action type definition information
- 15 }


9/25

FIG. 16

- 1 collection type definition information
- 2 product type definition information
- 3 content type definition information
- 4 action type definition information
- 5 cspec:
- 6 coll-type ct-program
- 7 index-coll-types.tbl:
- 8 ct-program ct-program.def
- 9 ct-web-page ct-web-page.def
- 10 ct-program.def:
- 11 product-type-index index-product-types.tbl
- 12 index-product-types.tbl:
- 13 pt-program pt-program.def
- 14 pt-program.def:
- 15 content-type-index index-content-types.tbl
- 16 index-content-types.tbl
- 17 content-c content-c.def
- 18 content-c.def:
- 19 action-type-index index-action-types.tbl
- 20 index-action-types.tbl:
- 21 action-c action-c.def
- 22 action-c.def:
- 23 parser-type internal
- 24 parser-name internal-c

10/25

FIG. 17



11/25

FIG. 18

- 1 /* simplified algorithm for get coll membership info manager */
- 2 Build data structures
- 3 /* Obtain collection specifier info including coll product list */
- 4 Call Get Collection Specifier Info
- 5 Call Collection Information Manager
- 6 /* Obtain type definition info for coll type, product type, etc */
- 7 Call Get Collection Product Dir Type Information
- 8 Call Get Collection Type Definition Information
- 9 Call Get Product Type Definition Information
- 10 Call Get Product Source Directory Definition Information
- 11 /* Build per-product content lists from per-product src dir lists */
- 12 For each product:
- 13 Call Get Platform Source Directory List
- 14 Call Search Source Dirs to find content files in the source dirs
- 15 Add found content files to content-entry data structures
- 16 Return completed prod-class-content list data struct to caller

12/25

FIG. 19

```
1  /* prod-class-content data structure for one product */
2  prod-class-content {

3      + product type indicator
4      + list of product actions
5      + list of content-class-entry data structures

6      ... other product information
7  }
```

FIG. 20

```
1  /* content-class-entry data struct for one content entry */
2  content-class-entry {

3      + content entry pathname
4      + content type indicator
5      + content language type indicator
6      + content action indicator
7      + list of content dependencies
8      + ...

9  }
```

FIG. 22

```

1 index-prod-program.tbl:
2 pt-program                      pt-program.def
3 pt-program-java                 pt-program-java.def
4 pt-program-unix                pt-program-unix.def
5 pt-program-win                  pt-program-win.def
6
7 pt-program.def:
8 /* type definition info for a "program" product type */
9 dir-source-files               source-dirs.lst
10 dir-library-files             library-dirs.lst
11 file-identification-table      file-identification.tbl
12 content-type-index            index-content-types.tbl
13 action-type-index              index-prod-action-types.tbl
14 action                        link
15 ... other product type info
```

14/25

FIG. 23

```
1  source-dirs.lst:

2  dir/gnulinux2    ../s/gnulinux2
3  dir/gnulinux2    ../s/gnulinux
4  dir/gnulinux2    ../s/unix
5  dir/gnulinux2    ../s/pi
6  dir/gnulinux2    ../s

7  dir/win98        ../s/win98
8  dir/win98        ../s/win
9  dir/win98        ../s/pi
10 dir/win98         ../s

11 dir/win95         ../s/win95
12 dir/win95         ../s/win
13 dir/win95         ../s/pi
14 dir/win95         ../s
```

FIG. 24

```
1  library-dirs.lst:

2  dir/gnulinux2    ../lib/gnulinux2
3  dir/gnulinux2    ../lib/gnulinux
4  dir/gnulinux2    ../lib/unix
5  dir/gnulinux2    ../lib/pi
6  dir/gnulinux2    ../lib

7  dir/win98        ../lib/win98
8  dir/win98        ../lib/win
9  dir/win98        ../lib/pi
10 dir/win98         ../lib
```

15/25

FIG. 25

```
1  c:\collections
2      c-mystuff
3      cspec

4      s
5          pi
6              file1.h
7              file1.c
8          win
9              file2-pd.h
10             file2-pd.c
11          win98
12             file2-pd.c
13          unix
14             file2-pd.h
15             file2-pd.c
16          gnulinux2
17             file2-pd.c

18      lib
19          pi
20              libfuncs.c
21              libfuncs2.c
22          win
23              libfuncs.h
24              libfuncs2.c
25          unix
26              libfuncs.h

27      win98.plt
28          ... compiled files, programs, libs, etc

29      gnulinux2.plt
30          ... compiled files, programs, libs, etc
```

16/25

FIG. 26

```
1  /* file list for win98 platform */
2  ../s/win98/file2-pd.c
3  ../s/win/file2-pd.h
4  ../s/pi/file1.h
5  ../s/pi/file1.c
6  ../lib/win/libfuns.h
7  ../lib/win/libfuns2.c
8  ../lib/pi/libfuns.c

9  /* file list for gnulinux2 platform */
10 ../s/gnulinux2/file2-pd.c
11 ../s/unix/file2-pd.h
12 ../s/pi/file1.h
13 ../s/pi/file1.c
14 ../lib/unix/libfuns.h
15 ../lib/unix/libfuns2.c
16 ../lib/pi/libfuns.c
```

FIG. 27

```
1  collection      c-my-example
2  coll-type       ct-program
3  coll-desc       A memdir and memfile example.
4  end-collection

5  product         myprog
6  prod-type       pt-program
7  memdir          c:\third-party\source-files
8  memdir-prepend  c:\search\this\dir\first
9  memdir-append   c:\search\this\dir\last
10 memfile         c:\third-party\product\somefile.obj
11 memfile-prepend c:\somewhere\file.c
12 memfile-append  c:\somewhere\file2.c
13 end-product
```


17/25

FIG. 28




FIG. 29

- 1 /* simplified algorithm for assign content type manager */
- 2 Build data structures
- 3 /* Obtain file identification criteria to enable matching */
- 4 Call Get File Identification Definition Information
- 5 /* Identify the content types of all files in the content list */
- 6 For each product in collection product list:
- 7 For each file in current product content list:
- 8 Call Identify Content Type to assign a content type
- 9 /* Record special fileset types */
- 10 Call Record Special Fileset Types
- 11 Return data structures to caller

FIG. 30

1	file-identification.tbl:		
2	/* Match-type	Match-string	Content-type */
3	exact	junkfile	ignore
4	suffix	.bak	ignore
5	tail	~	ignore
6	content	#!/bin/csh	csh
7	suffix	.c	c-source
8	suffix	.h	c-header
9	suffix	.C	c++
10	suffix	.c++	c++

FIG. 31

1	collection	c-my-example
2	coll-type	ct-program
3	coll-desc	A fileset example.
4	end-collection	
5	product	myprog
6	prod-type	pt-program
7	fileset	myset ../s/file1.f ../s/file2.f
8	fileset	myset ../s/file3.f
9	fileset-type	myset content-no-optimize
10	end-product	

19/25

FIG. 32




FIG. 33

- 1 /* simplified algorithm for assign content actions manager */
- 2 Build data structures
- 3 /* Obtain file type definition and action name index info */
- 4 Get File Type Definition Information
- 5 Get Action Type Name Information
- 6 /* Assign action names to collection, product, and content entries */
- 7 Call Identify All Action Matches to choose coll, prod, content actions
- 8 Call Record All Action Matches to record choices in data structures
- 9 Return completed data structures to caller

FIG. 34

```

1 index-content-types.tbl:
2 c-source                content-c.def
3 c-header                content-c-h.def
4 csh                     content-csh.def
5 html                    content-html.def

6 content-c.def:
7 /* type definition info for a "c" file type */
8 type                    c-source
9 language                 c
10 action                  action-c-source
11 action-type-index       index-action-types.tbl
12 ... other content type definition info

```

FIG. 35

```

1 index-action-types.tbl:
2 action-c-source         action-c-source.def
3 action-c-header         action-c-header.def
4 action-csh              action-csh.def
5 action-html             action-html.def

6 action-c-source.def:
7 parser-type             internal
8 parser-name             internal-c

```

21/25

FIG. 36




FIG. 37

- 1 /* simplified algorithm for calc content dependencies mgr */
- 2 Build data structures
- 3 /* loop over and parse all content entries */
- 4 For each product in collection product list:
- 5 For each file in current product content list:
- 6 Call Get Content Parser to choose a parser
- 7 Call Parse For Dependencies to obtain dependencies
- 8 Call Record Dependency Info to store dependencies in
content-class-entry data structure
- 9 Return completed content-class-entry data structures to caller

Deeds Not Words

```
1  /* external parser invocation command line */
2  new-language-parser infile outfile
3  new-language-parser file1.c file1.c.deps

4  file1.c.deps:
5  /* dependency info from new-language-parser */
6  dep  file1.c      stdio.h
7  dep  file1.c      app-data.h
8  dep  file1.c      content-class-entry.h
```

FIG. 39

```

1  c:\collections
2      c-my-example
3      cspec
4      s
5          pi
6          cmdline.h
7          win98
8          cmdline.c
9          gnulinux2
10         cmdline.c
11     lib
12     pi
13         libfuns.h
14         libfuns.c
    
```

FIG. 40

```

1  cspec:
2      collection  c-my-example
3      coll-type   ct-program
4      coll-desc   A multi-platform C program with library.
5      end-collection

6      product     myprog
7      prod-type   pt-program
8      prod-desc   A program product.
9      end-product

10     product     mylibrary
11     prod-type   pt-library
12     prod-desc   A library product.
13     end-product
    
```

FIG. 41

```

1  /* classification output for win98 platform */
2  collection      c-my-example
3  coll-type       ct-program
4  coll-action     cleanup
5  coll-action     checkin
6  ... other coll class info

7  /* classification info for a program product */
8  product         myprog
9  prod-type       pt-program
10 prod-action     link

11 content         cmdline.h
12 content-path    ../s/pi/cmdline.h
13 content-type    c-header
14 content-language c
15 content-action  none
16 end-content

17 content         cmdline.c
18 content-path    ../s/win/cmdline.c
19 content-type    c-source
20 content-language c
21 content-action  action-c-source
22 content-dep     ../s/pi/cmdline.h
23 content-dep     ../lib/pi/libfuns.h
24 end-content

25 end-product

```


FIG. 42

```
1  /* classification output */
2  collection          c-my-example

3  ... /* classification info for the host collection */
4  ... /* classification info for the program product */

5  /* classification info for a library product */
6  product             mylibrary
7  prod-type           pt-library
8  prod-action         archive
9  prod-action         export-lib-for-sharing

10 content             libfuncs.h
11 content-path        ../lib/pi/libfuncs.h
12 content-type        c-header
13 content-language    c
14 content-action      export-incl-for-sharing
15 end-content

16 content             libfuncs.c
17 content-path        ../lib/pi/cmdline.c
18 content-type        c-source
19 content-language    c
20 content-action      action-c-source
21 content-dep         ../lib/pi/libfuncs.h
22 end-content

23 end-product
```